# EnLiten<sub>™</sub> Flush-Glazed Designs



for Fiber-Classic. & Smooth-Star. Doors & Sidelites




Simplified beauty. Resilient designs.



# Designs for any entry.

At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten<sup>®</sup> flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Top Left: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814, Sidelites – FCM2010SL Top Right: Smooth-Star, Internal Blinds, Door – S2600 Bottom Left: Fiber-Classic Oak Collection, Clear Glass with GBGs, Door – 2150 Bottom Right: Smooth-Star, Internal Blinds, Doors – S2600



# Create a clean look with maximum views.

During manufacturing, double- or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten, flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.



**Flush-Glazed Glass** 



**Lip-Lite Frame** 

#### See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.





Lip-Lite Frame

**Flush-Glazed Glass** with Detailed Sticking



		-		
		-	-	
	No. of Concession, Name	10		
		TIL		-
	and the second second	fu		
	1	13.		
		- H		
		III	-	
1000		1ª		
100-		P		
100		- H-		
		T	-	
1997		-		
		-		
		1		
100		-		
100	-			-
1	Done -	FIL	-	

### Seamless style. Controllable privacy.

Smooth-Star. doors with internal blinds featuring EnLiten flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.

# Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



## Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



#### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



#### 11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



#### Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)

\*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

\*\*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Left: Smooth-Star, Chord Glass, Door – S2200XC, Sidelite – S90SLXC Middle: Smooth-Star, Internal Blinds, Door – S82600

Right: Smooth-Star, Clear Glass, Doors – S82200


4

# Privacy & Textured Glass Options with Triple-Pane Construction

For just the right balance of privacy and natural light, textured glass options provide

a smart solution.








## Choose Your Divided Lites

Complete your entry with divided lites. Tailor the look with different texture, profile and color choices to coordinate with window patterns – from Colonial and Craftsman, to Prairie and Modern.

#### Simulated Divided Lite (SDL) Bar Options



#### GBG Bar Options





#### **GBG** Color Options





(88.9 mm / 3.5 in.)

\*Available in Special Quote Program.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

Black GBGs now available in select grid patterns.

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Contour or Flat White Grilles Between Glass (GBGF / GBGC) ٠
- Contour or Flat Almond Grilles Between Glass (GBGF / GBGC)
- Contour or Flat Bronze Grilles Between Glass (GBGF / GBGC) ۲
- **Contour or Flat Black Grilles** ٠ Between Glass (GBGF / GBGC)
- **Removable Wood Grilles (RG)** >
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination.

XK = Reeded Glass ble for select styles

XG = Geometric Glass ailable for select style

- XE = Satin Etch Glass
- XC = Chord Glass
- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass

# **Full Lites**

#### Privacy & Textured Glass with Divided Lites

3'0"x 8'0"





Smo	oth	Oa	ak	Smo	oth	C	ak	Smo	oth
<b>S5700_</b> <b>2</b> '6"x 6'8" ≴ 2'8"x 6'8" ≴ 2'10"x 6'8" ≴ 3'0"x 6'8" ≴	<b>S85700_</b> 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC5710</b> 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC85710_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5710 <sup>2</sup> E 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å	<b>\$85710_</b> <b>≥</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC85720_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S5720_ <b>2</b> E 2'6"x 6'8" <u>Å</u> 2'8"x 6'8" <u>Å</u> 2'10"x 6'8" <u>Å</u> 3'0"x 6'8" <u>Å</u>	<b>\$85720_</b> <b>≥</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

3'0" x 8'0"

3'0" x 8'0"

3'0"x 8'0"

Oak		Smoo	oth								
FC691 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC8691_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S691 № E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å	S8691_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC685L_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC8685L_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S685L <sup>2</sup> E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å	S8685L_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC8685R_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S685R_ 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å	S8685R_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass







Clear Glass with Divided Lites







**\*** ♦ ♦ ♦ ● E 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å



	_
	7
- 1	

- 🌟 Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Contour or Flat White Grilles Between Glass (GBGF / GBGC)
- Contour or Flat Almond Grilles Between Glass (GBGF / GBGC)
- Contour or Flat Bronze Grilles Between Glass (GBGF / GBGC)
- Contour or Flat Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- E Elevated 10" Bottom Rail Options
- 1 6'6" Height Available

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

**XK = Reeded Glass** Available for select styles.

**XG = Geometric Glass** Available for select styles.

XE = Satin Etch Glass


XC = Chord Glass


XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass









Smo	oth	0	ak	Smo	oth	O	ak	Smoo	th
<b>S5710</b> <b>* 2 E</b> 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å	<b>S85710</b> <b>2</b> '6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC5720 * 2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC85720 * 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5720</b> <b>※ № E</b> 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å	S85720 * 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691 * 2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	FC8691 * 2 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S691 ※ ② E 2'6" x 6'8" ≴ 2'8" x 6'8" ≴ 2'10" x 6'8" ≴ 3'0" x 6'8" ≴	S8691 ₩ 2 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

#### Clear Glass

						Smoc			Dak	Smo	
FC685L	FC8685L	S685L	S8685L	FC685R	FC082000-6C	S685R	S8685R	2000	8000	S2000	S8000
<b>₽ ₽</b>	* 2 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>* 2 E</b> 2'6"x 6'8" <u>Å</u> 2'8"x 6'8" <u>Å</u> 2'10"x 6'8" <u>Å</u> 3'0"x 6'8" <u>Å</u>	* 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>₽</b> 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"	2'6"x 8'0" 2'8"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>※ 2 E</b> 2'6"x 6'8" <u>Å</u> 2'8"x 6'8" <u>Å</u> 2'10"x 6'8" <u>Å</u> 3'0"x 6'8" <u>Å</u>	* 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	* 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<pre>** 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</pre>	<b>E</b> 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<pre>* 2'0" x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"</pre>

## 3/4 Lites

Privacy & Textured Glass with Divided Lites





3'0"x 8'0"

Smooth
S82106
<b>2</b> '6"x 8'0"
2'8"x 8'0"
2'10" x 8'0"

3'0" x 8'0"



Privacy & Textured Glass



#### Clear Glass with Divided Lites

Sm	ooth
S2103	S82103
* N	
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8" 2'10" x 6'8"	2'8"x 8'0" 2'10"x 8'0"
2'10' x 6'8" 3'0" x 6'8"	3'0"x 8'0"

Sm	ooth
S2104	S82104
	# ♦ ♦ ♦ ♦ 2'6"x 8'0"
2'6" x 6'8"	2'8"x 8'0"
2'8"x 6'8"	2'10"x 8'0"
2'10" x 6'8"	3'0"x 8'0"

3'0" x 6'8"

-	
	Smooth
S2105	S82105

 S2105
 S82105

 \*\* ● ● ● ●
 \*\* ● ● ● ●

 2'6" x 6'8"
 2'6" x 8'0"

 2'8" x 6'8"
 2'8" x 8'0"

 2'10" x 6'8"
 2'10" x 8'0"

 3'0" x 6'8"
 3'0" x 8'0"

Sm	ooth
S2250 <b>*</b> ■ ♦ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 2'10"x 6'8"	<b>\$82250</b> <b>*</b> ♦ ♦ ♦ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

3'0"x 6'8"

	í
Smooth	
Smooth	
S82106	

302100	
* <b>I ( ) ( )</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

Smooth	
S82107	S1
2'6"x 8'0" 2'8"x 8'0"	2' 2'
2'10"x 8'0"	2'

3'0"x 8'0"



3'0" x 6'8"

3'0"x 8'0"

- Flush-Glazed Glass with ۵ Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Contour or Flat White Grilles Between Glass (GBGF / GBGC) ٠
- Contour or Flat Almond Grilles Between Glass (GBGF / GBGC)
- ۲ **Contour or Flat Bronze Grilles** Between Glass (GBGF / GBGC)
- Contour or Flat Black Grilles ٠ Between Glass (GBGF / GBGC)
- **Removable Wood Grilles (RG)**
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- E Elevated 10" Bottom Rail Options
- 1 6'6" Height Available

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination.

XK = Reeded Glass ailable for select styles.

XG = Geometric Glass

XE = Satin Etch Glass

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

#### Optional **Dentil Shelf\***

**4-Block Dentil Shelf** Available for all Craftsman-style Smooth-Star doors.

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.





2'8" x 6'8"

2'6" x 6'8" 2'6"x 8'0"

2'8"x 8'0"

2'10" x 6'8" 2'10" x 8'0"

3'0" x 6'8" 3'0" x 8'0"

Smooth

2'8" x 6'8"

3'0" x 6'8"

## 1/2 Lites

Clear Glass with Divided Lites



#### Clear Glass



## Craftsman Lites

Privacy & Textured Glass with Divided Lites



			Privacy & Textured Glass			Clear Glass with Divided Lites			
			NEW						
Mahogany	Sm	looth	Mahogany	Sm	ooth	Mahogany	Sm	looth	Mahogany
FCM4816_** E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S4816_** ▲ ► E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S84816_** ▲ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4810_** ▲ E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S4810** ▲ E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S84810_** ▲ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4812 ▲ ** <b>€</b> ] E 2'8''x 6'8" 2'10"x 6'8" 3'0"x 6'8"	<b>S4812</b> ▲ <b>* • • •</b> 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S84812 ▲ * ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4813 ▲ * tor E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



## Sidelites

Privacy & Textured Glass with Divided Lites



- Flush-Glazed Glass with ۵ Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Contour or Flat White Grilles Between Glass (GBGF / GBGC) ٠
- **Contour or Flat Almond Grilles** Between Glass (GBGF / GBGC)

1

2

10"x 6'8"

12"x 6'8"

14"x 6'8"

Smooth

2

12"x 8'0"

14"x 8'0"

- ۲ **Contour or Flat Bronze Grilles** Between Glass (GBGF / GBGC)
- **Contour or Flat Black Grilles** ٠ Between Glass (GBGF / GBGC)
- **Removable Wood Grilles (RG)**
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 1 6'6" Height Available

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination.

XK = Reeded Glass able for select styles

XG = Geometric Glass Available for select styles

XE = Satin Etch Glass

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass


XN = Granite Glass






Mahogany FCM1205SL










\*\*Not available in Reeded (XK) or Geometric (XG) Glass.











S84810SL



# Every home. Every entrance.









S2050





FC755 / 2000XJSL





2100





2000



S4816 / S4812SL



S2600





Utility

Therma-Tru<sub>®</sub> EnLiten<sub>™</sub> flush-glazed doors provide sleek style with maximum views. Whether Classic or Contemporary, Craftsman or European, our doors make a style statement you'll love coming home to.





S205 / S2000SL









S2000 / S2000SL



S1204 / S1204SL



S2250










Front Entry

S5720





S2000XE

Utility



thermatru.com 1-800-THERMA-TRU (843-7628) 1750 Indian Wood Circle Maumee, OH 43537





EnLiten<sub>™</sub> flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind – all from the entry door brand building professionals choose most.\*

#### **EnLiten**<sub>m</sub> Flush-Glazed Riders

#### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish <sup>\$</sup>300 toward installation and replace the flush-glazed fiberglass door or sidelite.

\*Brand Use Study, 2020 Builder magazine.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

Cover: Smooth-Star Collection, Clear Glass with GBGs, Door - S82103

©2021 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #MAFFGB21 MTZT / DEC 2020