

Multi-Family Entry Door Systems

THERMA TRU[®]
DOORS



Where home begins.



You're in expert hands.

With a complete door system engineered with craftsman precision and backed by more than 55 years of industry experience, you can be confident that it will perform as exceptionally as it looks. Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a selection to complement the architecture of virtually any multi-family residential dwelling, hotel / motel unit entries, and more.

Builder BRAND LEADER 2019

We're proud to be the leading entry door Brand Used Most* for more than 20 years, all backed by the industry's most comprehensive full system warranty.

Building stronger partnerships and better entryways.

"Builders rely on us to provide products that will perform. The warranty gives us confidence to offer Therma-Tru doors to our customers. That, and we've never had any problems with Therma-Tru doors. The product quality is consistent."

Kevin K., Overhead Inc. in Ohio
More than 25 years using Therma-Tru

"It's easy to partner with a manufacturer who can stand behind you because you feel you have a sense of comfort. You feel you've done your best job, the manufacturer has done their best job and it makes it easy for the customer to feel safe in their purchase."

Daniel B., Barefoot and Company in North / South Carolina
More than 10 years using Therma-Tru

"Therma-Tru is unique because they have an entire system that includes the door, the glass, the frame, the sill... everything has been quality tested for performance."

Bill D., Woolf Distributing in Illinois
More than 8 years using Therma-Tru

*Brand Use Study, 2019 *Builder* magazine.

Left: Smooth-Star, Chinchilla Glass, Door – S2000XJ, Clear Glass, Transom – 19200T

Table of Contents

| | |
|---|--------------|
| Introduction | 4-7 |
| Door Selections | 5 |
| Door System Components | 6-7 |
| Fire-Rated Doors | 8-13 |
| 20-Minute Fire-Rated Wood-Edge Doors | 10-12 |
| 90-Minute Fire-Rated Steel Edge Doors | 12 |
| Elevated Bottom Rail Doors | 14-33 |
| Classic-Craft | 16-17 |
| Fiber-Classic & Smooth-Star | 18-31 |
| Pulse | 32-33 |
| Noise Reduction Doors | 34-37 |
| STC Testing Information | 36-37 |
| EasySpec Drawing Tools | 37 |
| Finish Options | 38-39 |
| PrismaGuard® Stain & Paint | 38-39 |
| Same-Day® Stain Kit | 39 |

Multi-Family Entry Door Systems

Therma-Tru offers door systems that are ideal for multi-family new construction and remodeling. Our doors deliver the durability, reliability and style you expect from Therma-Tru, with options to meet most national and local building code requirements.*

Discover an industry-leading selection of Fire-rated doors and Sound Transmission Class- (STC) rated doors, as well as doors with an elevated 10" bottom rail for Americans with Disabilities- (ADA) compliant applications.



The beauty of choice.

Choose from a variety of surfaces to complement the architectural style of the dwelling.

Fiberglass Door Selections




Classic-Craft® American Style Collection™



6E
High-definition vertical Fir grain and Shaker styling for a premium look.

Fiber-Classic® Mahogany Collection™



66E
Deep Mahogany grain to complement rich wood tones.

Fiber-Classic® Oak Collection™



66E
Natural Oak grain for a warm look and feel.

Smooth-Star®



666E
A smooth, ready-to-paint surface with crisp, clean contours.

Pulse® Fiberglass



E
A contemporary series of doors available in Mahogany- and Oak-grained fiberglass, or smooth fiberglass.




Both Classic-Craft and Fiber-Classic are rated a *Consumers Digest Best Buy* in the fiberglass entry doors category.

Steel Door Selections



Pulse® Steel



E
A modern series of doors available in a smooth steel surface.

Profiles™ Steel



666E
24-gauge steel with smooth surface and triple-shadowed panel embossments.

Traditions Steel



666E
25-gauge steel with standard embossed smooth surface. All 8'0" doors are 24-gauge steel.

Key

- 20-Minute Fire-Rated Options
- 90-Minute Fire-Rated Options
- WBDR Options
- WBDR / HVHZ Options
- STC / Noise Reduction
- Elevated 10" Bottom Rail

*To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: Many smooth fiberglass door styles are also available in comparable steel door styles. See your Thermo-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.



Engineered to work together.

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance. With a complete door system engineered with craftsman precision and backed by more than 55 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

- Composite Door Frame
- Sill
- Bottom Sweep
- Corner Seal Pads
- Hinges
- Weatherstrip
- Glass Options
- Finish – Paint or Stain



Door System Components

Have confidence in a door system made with genuine Therma-Tru® components to meet the needs of many applications.



Composite Door Frame

Therma-Tru composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free.
- Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.
- Mullions are reinforced with a co-extruded LVL core for added structural support and stability, and feature a composite-capped bottom to eliminate the risk of water absorption.
- Available in a ready-to-install white smooth option that includes a pre-inserted weatherstrip option for select sizes. Also available in buff grained options.



Intumescent Weatherstrip

(For Fire-Rated Applications)

When exposed to fire, the intumescent weatherstrip expands to seal the door and frame, helping prevent fire, smoke and toxic gases from passing through.


- Designed to fit with Therma-Tru Adjusta-Fit 2 frame.



Adjusta-Fit® 2 Frame

Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. These frames are ideal for interior and exterior applications, including corridor openings and outside unit entries.

- Constructed with commercial-grade 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold.
- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.



Public Access Sill with Thermal Break*

(For ADA Applications)

Meets code requirements for Americans with Disabilities Act- (ADA) compliant applications.

- All-aluminum construction.
- Designed to mate with our ADA bottom sweep to help seal the margin between the door and sill.
- Also available without thermal break.

*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

Therma-Tru® Fire-Rated Doors

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark. From smooth to wood-grained, explore a variety of products that meet most national and local code requirements for multi-family residential and hotel / motel unit entries.*



Intertek

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.


Note: To see the listing reports of third-party Intertek Warnock Hersey testing, visit www.thermatru.com/performance.

20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features an enhanced lock block to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 12.



Now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:


- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.



For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).
































90-Minute Fire-Rated Steel Edge

- Tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit.
- Constructed with 24-gauge steel edges.
- Suitable for a minimum 4" wall depth or greater.
- Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.
- 90-minute Fire-rated steel edge doors, start on page 12.



20-Minute Fire-Rated Wood Edge – Fiberglass Fiber-Classic® & Smooth-Star® Doors




6'8" Doors




| | | | | | | | |
|--|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |  |
| Smooth | Mahogany | Oak | Oak | Smooth | Smooth | Mahogany | Smooth |
| SSF1100 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FMF31 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FCF31 9 2'8" x 6'8" 3'0" x 6'8" | FCF809 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | SSF93 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | SSF120 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FMF220 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | SSF220 9 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ |
|  |  |  |  |  |  |  |  |
| Smooth | Mahogany | Smooth | Smooth | Oak | Smooth | Mahogany | Oak |
| SSF200 9 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FMF205 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | SSF205 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | SSF31 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FCF808 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | SSF960 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FMF755 9 2'10" x 6'8" 3'0" x 6'8" | FCF755 9 2'10" x 6'8" 3'0" x 6'8" |
|  |  |  |  |  |  |  | |
| Smooth | Mahogany | Oak | Smooth | Smooth | Mahogany | Smooth | |
| SSF755 9 2'10" x 6'8" 3'0" x 6'8" | FMF134 9 2'10" x 6'8" 3'0" x 6'8" | FCF134 9 2'10" x 6'8" 3'0" x 6'8" | SSF11 9 2'10" x 6'8" 3'0" x 6'8" | SSF4800 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FMF600 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | SSF600 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | |
|  |  |  |  |  |  | | |
| Mahogany | Oak | Smooth | Mahogany | Oak | Smooth | | |
| FMF60 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | FCF160 9 E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ | SSF160 9 E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ | FMF100 9 E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ | FCF100 9 E 2'8" x 6'8" 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ | SSF100 9 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ | | |

7'0" Doors

| | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| Smooth | Oak | Smooth | Mahogany | Oak | Smooth |
| SSF220 9 E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" | FCF160 9 E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" | SSF160 9 E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" | FMF100 9 E 2'8" x 7'0" 3'0" x 7'0" | FCF100 9 E 2'8" x 7'0" 3'0" x 7'0" | SSF100 9 E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" |

8'0" Doors

| | | | | | | | |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
| Smooth | Smooth | Smooth | Smooth | Smooth | Oak | Smooth | Smooth |
| SSF81100 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF8120 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF8220 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF8200 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF8205 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | FCF862 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF831 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF84800 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" |

| | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Smooth | Mahogany | Oak | Smooth | Mahogany | Oak | Smooth |
| SSF8600 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | FMF860 9 2'8" x 8'0" 3'0" x 8'0" | FCF8160 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF8160 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | FMF8100 9 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | FCF8100 9 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" | SSF8100 9 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" |

Key

 No Stile Lines
 WBDR Options

 7'0" Height Available
 Elevated 10" Bottom Rail

 20-Minute Fire-Rated Options

20-Minute Fire-Rated Wood Edge – Steel

Fire-Rated Doors – Steel

6'8" & 6'6" Doors

Profiles™



969HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



978HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1005HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




205HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



203HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



210HD
 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




100
 6 E
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8"

7'0" Doors

Profiles™



210HD
 6
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



100
 6 E
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"

6'8" & 6'6" Doors


Traditions



TS214
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS210
 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS100
 6 E
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" Δ
 3'0" x 6'8"

8'0" Doors



810
 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

800
 6 E
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

90-Minute Fire-Rated Steel Edge

6'8" Doors



SE969HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SE978HD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡




SE1005HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SE514
 6
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE210HD
 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE100
 6 E
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



7'0" Doors



SE978HD
 ■ 6
 2'8" x 7'0"
 3'0" x 7'0"

SE514
 ■ 6
 2'8" x 7'0"
 3'0" x 7'0"

SE210HD
 ■ 6
 2'8" x 7'0"
 3'0" x 7'0"

SE100
 ■ 6 E
 2'8" x 7'0"
 3'0" x 7'0"

Key

- No Stile Lines
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail
- 🔥 20-Minute Fire-Rated Options
- 🔥 90-Minute Fire-Rated Options

Elevated Bottom Rail Doors

Therma-Tru offers a variety of options to meet code requirements for Americans with Disabilities- (ADA) compliant applications. Available in the Classic-Craft®, Fiber-Classic®, Smooth-Star® and Pulse® product lines, these doors offer durable, long-lasting fiberglass skins. Choose from a selection of on-trend door styles to meet the aesthetic needs of the project.




Elevated 10" Bottom Rails

Doors with an elevated bottom rail are designed to meet ADA requirements and feature a minimum 10" net smooth surface as measured from the bottom of the slab to the beginning of the panel detail. These slabs may also be cut out and paired with an assortment of stylish glass designs to create a wide variety of looks.


2019 California Access Compliance Advisory Reference Manual, Chapter 11A, Division IV, Section 1132A

1132A.9 Smooth surface. Swinging door or gate surfaces within 10 inches (254 mm) of the finish floor or ground measured vertically shall have a smooth surface on the push side extending the full width of the door or gate.



Elevated 10" Bottom Rail

Standard Bottom Rail



Public Access Sill with Thermal Break for ADA Applications

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act- (ADA) requirements.
- Also available without thermal break.

Privacy & Textured Glass Options



Geometric
Privacy Rating: 7

Satin Etch
Privacy Rating: 10

Chord
Privacy Rating: 10

Chinchilla
Privacy Rating: 10

Rainglass
Privacy Rating: 8

Granite
Privacy Rating: 10

Low-E
Privacy Rating: 0

Additional Decorative Glass Options

Therma-Tru offers a wide selection of stylish and energy-efficient entry door options that may also meet your 10" bottom rail requirements. Please see your local Therma-Tru Sales Representative for more details.

Elevated Bottom Rail

Classic-Craft® American Style Collection™ Shaker Doors

8'0" Full Glass

Privacy & Textured Glass and Low-E Glass

Shown with Chinchilla privacy and textured glass.



CCA82400
CCA82400 *
▲ E
3'0" x 8'0"



Fir
CCA82300
CCA82300 *
▲ E
3'0" x 8'0"



Fir
CCA82310
CCA82310 *
▲ E
3'0" x 8'0"



Fir
CCA82320
CCA82320 *
▲ E
3'0" x 8'0"



Fir
CCA82330
CCA82330 *
▲ E
3'0" x 8'0"



Fir
CCA82340
CCA82340 *
▲ E
3'0" x 8'0"



Fir
CCA82350 *
CCA82350 *
▲ E
3'0" x 8'0"



Fir
CCA82360 *
CCA82360 *
▲ E
3'0" x 8'0"




Fir
CCA82380
CCA82380 *
▲ E
3'0" x 8'0"



Fir
CCA82370 *
CCA82370 *
▲ E
3'0" x 8'0"



Fir
CCA84900 *
CCA84900 *
▲ E
3'0" x 8'0"



Elevated
U1: 10-29/32"
Book / Hybrid: 10-29/32"



Fir
CCA84910L *
CCA84910L *
▲ E
3'0" x 8'0"



Fir
CCA84910R *
CCA84910R *
▲ E
3'0" x 8'0"



Fir
CCA84920L *
CCA84920L *
▲ E
3'0" x 8'0"



Fir
CCA84920R *
CCA84920R *
▲ E
3'0" x 8'0"



Fir
CCA84930 *
CCA84930 *
▲ E
3'0" x 8'0"



Fir
CCA84940 *
CCA84940 *
▲ E
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

XG = Geometric
Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Explore premium Shaker-style entries both with and without glass. Many feature premium fiberglass divider bars to create unique styles designed to complement a wide range of architectural elements.

8'0" Solid-Panel Doors



CCA81100
 9 E
 3'0" x 8'0"



Fir
 CCA81133
 2 9 E
 3'0" x 8'0"



Fir
 CCA81145
 2 9 E
 3'0" x 8'0"



Fir
 CCA81150
 3 9 E
 3'0" x 8'0"



Fir
 CCA81125
 5 9 E
 3'0" x 8'0"



Fir
 CCA81149
 5 9 E
 3'0" x 8'0"



Fir
 CCA81147
 5 9 E
 3'0" x 8'0"



Fir
 CCA81166
 5 9 E
 3'0" x 8'0"




Fir
 CCA81158
 3 9 E
 3'0" x 8'0"



Fir
 CCA81127
 4 9 E
 3'0" x 8'0"



Fir
 CCA84905
 3 9 E
 3'0" x 8'0"



Elevated
 U1: 10-²⁹/₃₂"
 Book / Hybrid: 10-²⁹/₃₂"



Fir
 CCA84915L
 3 9 E
 3'0" x 8'0"



Fir
 CCA84915R
 3 9 E
 3'0" x 8'0"



Fir
 CCA84925L
 3 9 E
 3'0" x 8'0"



Fir
 CCA84925R
 3 9 E
 3'0" x 8'0"



Fir
 CCA84935
 5 9 E
 3'0" x 8'0"



Fir
 CCA84945
 5 9 E
 3'0" x 8'0"


Key

- Low-E Glass (LE)
- Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- WBDP Options
- Elevated 10" Bottom Rail

Elevated Bottom Rail Smooth-Star® Doors

6'8" Full Glass

EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with Divided Lites



Elevated
U1: 10-1/4"
Book / Hybrid:
10-5/16"



S5705_
S5705 *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S5700_
S5700 *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S5715_
S5715 *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S5710_
S5710 *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S5725_
S5725 *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S5720_
S5720 *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S691_
S691 *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S685L_
S685L *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S685R_
S685R *

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S2000_
S2000 *

2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass

EnLiten™ Flush-Glazed Internal Blinds



Elevated
U1: 10-29/64"
Book / Hybrid:
10-23/32"



S2600

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



S1205

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S1206

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S1207

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S2010

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S1204

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S2050

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6'8" Craftsman Glass

EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with Divided Lites



Elevated
U1: 10-3/16"
Book / Hybrid:
10-3/8"

| | | | | |
|--|--|--|--|--|
| | | | | |
| Smooth | Smooth | Smooth | Smooth | Smooth |
| S4812 * S4812 * | S4813 * S4813 * | S4814 * S4814 * | S4816 * S4816 * | S4810 * S4810 * |
| ▲ E | ▲ E | ▲ E | ▲ E | ▲ E |
| 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" | 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" |

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

XG = Geometric
Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Key

▲ Flush-Glazed Glass (FG)
★ Low-E Glass (LE)

■ Simulated Divided Lites (SDLF)
1 Simulated Divided Lites (SDLF1)
2 Simulated Divided Lites (SDLF2)

◆ Flat or Contour Grilles Between Glass (GBGF / GBGC)
➤ Removable Wood Grilles (RG)

E Elevated 10" Bottom Rail


*Not available with Geometric privacy and textured glass.

Top: Smooth-Star, Satin Etch Glass with SDLs, Door – S4813XE

Elevated Bottom Rail Fiber-Classic® & Smooth-Star® Doors

6'8" Full Glass

Privacy & Textured Glass and Clear Glass




Elevated
U1: 10-⁵/₃₂"
Book: / Hybrid:
10-¹¹/₃₂"



Oak

FC10_
FC10 *
6E
3'0" x 6'8" ‡



Smooth

S118_
S118 *
6E
3'0" x 6'8" ‡

Internal Blinds



Oak

FC141
6E
3'0" x 6'8" ‡



Smooth

S130
6E
3'0" x 6'8" ‡



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.


XG = Geometric
Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Clear Glass with Divided Lites



Key


- Low-E Glass (LE)
- Turtle Glass

- Simulated Divided Lites (SDL)
- Flat or Contour Grilles Between Glass (GBGF / GBGC)


- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)

- WBDR / HVHZ Options
- 7'0" Height Available
- Elevated 10" Bottom Rail


6'8" 1/2 Glass



Elevated
U1: 10-1/2"
Book / Hybrid:
10-23/32"



Elevated
U1: 10-1/2"
Book / Hybrid:
10-23/32"



Elevated
U1: 37"
Book / Hybrid:
37-3/16"

Privacy & Textured Glass and Clear Glass



Oak

FC62_
FC62 *
GE
3'0" x 6'8" ‡




Smooth

S206_
S206 *
GE
3'0" x 6'8" ‡



Smooth

S6021_
S6021 *
GE
3'0" x 6'8" ‡



Mahogany

FCM104_
FCM670 *
GE
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

FC104_
FC670 *
GE
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Smooth

S104_
S104 *
GE
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Internal Blinds



Oak

FC678
GE
3'0" x 6'8" ‡




Smooth

S132
GE
3'0" x 6'8" ‡



Smooth

S6035
GE
3'0" x 6'8" ‡



Mahogany

FCM116
GE
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

FC116
GE
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Smooth

S131
GE
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

XG = Geometric
Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Clear Glass with Divided Lites



Oak

FC65
 * > 6 E
 3'0" x 6'8" ‡



Smooth

S262
 * > < > < > < >
 6 E
 3'0" x 6'8" ‡



Smooth

S6022
 * > < > < > < > 6 E
 3'0" x 6'8" ‡



Oak

FC1408
 * > < > E
 3'0" x 6'8" ‡



Smooth

S1408
 * > < > E
 3'0" x 6'8" ‡



Smooth

S1405
 * > < > E
 3'0" x 6'8" ‡



Key

■ No Stile Lines

* Low-E Glass (LE)

■ Simulated Divided Lites (SDL)

◆ Flat or Contour Grilles Between Glass (GBGF / GBGC)

> Removable Wood Grilles (RG)

◆ Fixed Grilles (FXG)


6 WBDR / HVHZ Options

‡ 7'0" Height Available


E Elevated 10" Bottom Rail

6'8" 1/3 Glass

Clear Glass with Divided Lites and **Clear** Glass




Elevated
U1: 46-1/32"
Book / Hybrid:
46-7/32"



Smooth

S115
■ ◆ ♦ ✦ **E**
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




Smooth

S105
■ ◆ ♦ ✦ **E**
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

6'8" Craftsman Glass

Privacy & Textured Glass and **Clear** Glass



Elevated
U1: 10-3/16"
Book / Hybrid:
10-3/8"




Smooth

S2610_*
S2610* ✦
✦ **E**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6'8" Cambertop Glass

Clear Glass with Divided Lites and **Clear** Glass



Elevated
U1: 10-17/32"
Book / Hybrid:
10-29/32"



Smooth

S752*
✦ ◆ ♦ ✦ **E**
3'0" x 6'8" ‡



Smooth

S704
✦ ◆ ♦ ✦ **E**
3'0" x 6'8" ‡




Smooth

S708
✦ ◆ ♦ ✦ **E**
3'0" x 6'8" ‡

6'8" 2-Lite Glass

Privacy & Textured Glass and **Clear** Glass



Elevated
U1: 10-29/32"
Book / Hybrid:
10-29/32"



Oak


FC61_
FC61 ✦
E
3'0" x 6'8" ‡



Smooth

S296_
S296 ✦
E
3'0" x 6'8" ‡

6'6" & 6'8" Solid-Panel Doors




Elevated
U1: 10-¹⁷/₃₂"
Book / Hybrid:
10-²³/₃₂"



Oak
FC60
E F
3'0" x 6'8" ‡




Smooth
S210
E F
3'0" x 6'8" ‡



Elevated
U1: 10-¹⁷/₃₂"
Book / Hybrid:
10-²³/₃₂"




Smooth
S220
E F
3'0" x 6'8" ‡



Elevated
U1: 10-³/₁₆"
Book / Hybrid:
10-³/₈"




Smooth
S120
E F
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Elevated
U1: 10-³/₁₆"
Book / Hybrid:
10-³/₈"




Smooth
S4800
E F
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Elevated
U1: 10-³/₁₆"
Book / Hybrid:
10-³/₈"



Smooth
S1100
E F
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM1000
E F
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak
1000
E F
2'0" x 6'8"
2'4" x 6'8" Δ
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Smooth
S100
E F
2'0" x 6'8" Δ
2'4" x 6'8" Δ
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 32–33.

XG = Geometric
Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Key

■ No Stile Lines

☀ Low-E Glass (LE)

🗡 Simulated Divided Lites (SDL)

◆ Flat or Contour Grilles Between Glass (GBGF / GBGC)

➤ Removable Wood Grilles (RG)

◆ Fixed Grilles (FXG)

▤ Flat Lite Frame

🌀 WBDR Options

🌀 WBDR / HVHZ Options

⬆ 6'6" Height Available


‡ 7'0" Height Available

E Elevated 10" Bottom Rail


🔥 20-Minute Fire-Rated Options

7'0" Full Glass

Privacy & Textured Glass and Clear Glass



Elevated
U1: 10-5/8"
Book / Hybrid:
10-1/2"



Elevated ■
U1: 10-5/8"
Book / Hybrid:
10-1/2"



Mahogany
FCM1283
FCM1283 ✨
■ ◆ ⬆ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC10_
FC10 ✨
◆ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
1283_
1283 ✨
■ ◆ ⬆ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S118_
S118 ✨
◆ ⬆ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S140_
S140 ✨
■ ◆ ⬆ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"

Internal Blinds



Mahogany
FCM1286
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC141
◆ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
1286
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S130
◆ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S6061
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"



Mahogany
FCM1201
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC1209
◆ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"

Clear Glass with Divided Lites



Oak
FC1201
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S1209
◆ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S1201
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"



Mahogany
FCM1202
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC1211
◆ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC1202
■ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S1209
◆ ✨ ⬆ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

XG = Geometric
Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite



Smooth
S1201
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"




Mahogany
FCM1203
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC1212
♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC1203
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S1212
♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S1203
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"



Mahogany
FCM1285
■ ♦ ♣ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC138
♦ ♣ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
1285
■ ♦ ♣ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S128
♦ ♣ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S141
♦ ♣ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"



Mahogany
FCM1200
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC1208
♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC1200
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S1208
♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S1200
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"



Mahogany
FCM1284
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC18
♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
1284
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S108
♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S6063
■ ♦ ♣ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"
3'6" x 7'0"

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass


- 🪟 Simulated Divided Lites (SDL)
- ♦ Flat or Contour Grilles Between Glass (GBGF / GBGC)

- ➡ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)

- 🔄 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail

7'0" Full Glass

Clear Glass with Divided Lites



Mahogany

FCM1289
 ■ ★ ◆ ◊ ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Oak

FC198
 ■ ★ ◆ ◊ ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Oak

1289
 ■ ★ ◆ ◊ ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth


S198
 ■ ★ ◆ ◊ ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"




Smooth

S6062
 ■ ★ ◆ ◊ ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"
 3'6" x 7'0"


7'0" 1/2 Glass



Elevated
 U1: 10⁻¹/₂"
 Book / Hybrid:
 10⁻²³/₃₂"



Elevated
 U1 REV: 10⁻¹⁷/₃₂"
 Book / Hybrid:
 10⁻²³/₃₂"



Elevated
 U1 REV: 38⁻⁵/₃₂"
 Book / Hybrid:
 38⁻¹¹/₃₂"

Privacy & Textured Glass and **Clear** Glass



Oak

FC62_
 FC62_ ★
 ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"




Smooth

S206_
 S206_ ★
 ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth

S6021_
 S6021_ ★
 ◻ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Mahogany

FCM104_
 FCM670_ ★
 ◻ E
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Oak

FC104_
 FC670_ ★
 ◻ E
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth

S104_
 S104_ ★
 ◻ E
 2'6" x 6'8"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

XG = Geometric
 Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Internal Blinds




Oak
FC678
 * 6 E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth
S132
 * 6 E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"




Smooth
S6035
 * 6 E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Mahogany
FCM116
 ■ * 6 E
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Oak
FC116
 ■ * 6 E
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth
S131
 ■ * 6 E
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"

Clear Glass with Divided Lites



Oak
FC65
 * ■ > > 6 E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth
S262
 * ■ > > > > 6 E
 2'8" x 7'0"
 2'10" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth
S6022
 * ■ > > > > 6 E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Oak
FC1408
 * ■ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"




Smooth
S1408
 * ■ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth
S1405
 * ■ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"

7'0" 1/3 Glass


Clear Glass with Divided Lites and Clear Glass



Elevated
 U1: 47-¹/₃₂"
 Book / Hybrid:
 47-¹/₃₂"



Smooth
S115
 ■ * ■ > > E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth
S105
 ■ * ■ E
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"

Key

- No Stile Lines
- * Low-E Glass (LE)


- Simulated Divided Lites (SDL)
- ◆ Flat or Contour Grilles Between Glass (GBGF / GBGC)

- > Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)

- 6 WBDP / HVHZ Options
- E Elevated 10" Bottom Rail

7'0" Cambertop Glass

Clear Glass with Divided Lites and Clear Glass



Elevated
U1 REV: 10 ¹⁷/₃₂"
Book: 10 ²³/₃₂"
Hybrid: 10 ²³/₃₂"



Oak
FC752
* ♦ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S752
* ♦ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Oak
FC704
* ♦ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S704
* ♦ E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"

Clear Glass




Oak
FC708
* E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S708
* E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"

7'0" 2-Lite Glass

Privacy & Textured Glass and Clear Glass



Elevated
U1 REV: 10 ²³/₃₂"
Book: 10 ²⁹/₃₂"
Hybrid: 10 ²⁹/₃₂"



Oak
FC61_
FC61 *
E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"



Smooth
S296_
S296 *
E
2'8" x 7'0"
2'10" x 7'0"
3'0" x 7'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 32–33.


XG = Geometric
Available for select styles.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

7'0" Solid-Panel Doors




Elevated
 U1 REV: 10 17/32"
 Book: 10 23/32"
 Hybrid: 10 23/32"



Oak
FC60
 ■ **6E** 🔥
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"




Smooth
S210
 ■ **6E** 🔥
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Elevated
 U1 REV: 10 17/32"
 Book: 10 23/32"
 Hybrid: 10 23/32"




Smooth
S220
 ■ **6E** 🔥
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Mahogany
FCM1000
 ■ **6E** 🔥
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Oak
1000
 ■ **6E** 🔥
 2'6" x 7'0"
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"



Smooth
S100
 ■ **6E** 🔥
 2'8" x 7'0"
 2'10" x 7'0"
 3'0" x 7'0"

8'0" Solid-Panel Doors



Mahogany
FCM81000
 ■ **6E** 🔥
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak
81000
 ■ **6E** 🔥
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth
S81000
 ■ **6E** 🔥
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

Key

■ No Stile Lines
 ⚡ Low-E Glass (LE)

■ Simulated Divided Lites (SDL)
 ♦ Flat or Contour Grilles Between Glass (GBGF / GBGC)


◆ Fixed Grilles (FXG)
 ⚡ WBDR / HVHZ Options

■ Elevated 10" Bottom Rail
 🔥 20-Minute Fire-Rated Options*



Elevated Bottom Rail Pulse® Doors

6'8" Pulse Echo Doors



Elevated
U1 REV: 26 3/4"
Book: 26 3/4"
Hybrid: 26 3/4"




S9L_
S9LCL*
E



S9_
S9CL*
E



S9R_
S9RCL*
E



Elevated
U1 REV: 49 1/8"
Book: 49 5/16"
Hybrid: 49 5/16"



S8L_
S8LCL*
E




S8_
S8CL*
E



S8R_
S8RCL*
E

8'0" Pulse Echo Doors



Elevated
U1 REV: 30 5/32"
Book: 30 5/32"
Hybrid: 30 5/32"




S811L_
S811LCL*
E



S811_
S811CL*
E



S811R_
S811RCL*
E



Elevated
U1 REV: 55 1/32"
Book: 55 11/32"
Hybrid: 55 11/32"



S810L_
S810LCL*
E



S810_
S810CL*
E




S810R_
S810RCL*
E

It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass



Steel

| Size Options | 6'8" | 8'0" |
|---------------|---------------|-------------|
| | 2'6" x 6'8" | 2'6" x 8'0" |
| 2'8" x 6'8" | 2'8" x 8'0" | |
| 2'10" x 6'8" | 2'10" x 8'0" | |
| 3'0" x 6'8" | 3'0" x 8'0" | |
| 3'6" x 6'8" • | 3'6" x 8'0" ◦ | |

• Available in Smooth-Star and Profiles only.
◦ Available in Smooth Star only.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

XG = Geometric XJ = Chinchilla
XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Key

★ Low-E Glass (LE)

E Elevated 10" Bottom Rail

Noise Reduction Doors

Therma-Tru. Noise Reduction doors provide a commercial level of performance, while providing the look of a residential door system. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of up to 36. These ratings provide a standard industry accepted method for comparing the sound reduction effectiveness of door systems.



Therma-Tru Noise Reduction doors are available in our Smooth-Star product line, which features crisp, clean contours that offer a more attractive and durable alternative to steel doors. And unlike steel doors, Therma-Tru Smooth-Star fiberglass Noise Reduction doors won't dent or rust. They also provide years of dependable service with safety and weather resistance built into every noise reduction system.

BTS Lite Frame


Handles temperature swings and extremes without warping, splitting, cracking or yellowing.

Laminated Glass

Provides added security from forced entry.

Engineered Core

Securely laminated and bonded to the durable fiberglass door skin providing for a rigid and durable door assembly.



Privacy & Textured Glass Available via Special Quote



Geometric Privacy Rating: 7 Satin Etch Privacy Rating: 10 Chord Privacy Rating: 10 Chinchilla Privacy Rating: 10 Rainglass Privacy Rating: 8 Granite Privacy Rating: 10 Low-E Privacy Rating: 0

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

Smooth-Star®

6'6" & 6'8" Full Glass



S140STC
 ■ ■ ■ E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8" ▲

S141STC
 ■ ■ ■ ◆ E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8" ▲

S6063STC
 ■ ■ ■ ◆ E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8" ▲

8'0" Full Glass



S8140STC
 ■ ■ ■
 2'6" x 8'0"
 2'8" x 8'0"
 3'0" x 8'0"

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Flat White Grilles Between Glass Only (GBG)
- ▲ 6'6" Height Available
- E Elevated 10" Bottom Rail

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and glass designs.

STC Testing Information

STC = Sound Transmission Class
 OITC = Outdoor-Indoor Transmission Class
 EWR = Exterior Wall Rating

Test Methods: ASTM E90-70/81/85/2004
 ASTM E2235-04
 Classification: For STC – ASTM E413-73/2004
 For OITC – ASTM E1332-90


| Product Descriptions | STC System | OITC System | EWR System | STC Door | OITC Door | EWR Door | Test Report |
|--|------------|-------------|------------|----------|-----------|----------|---------------------|
| 6'8" Fiberglass | | | | | | | |
| Classic-Craft Opaque | 26 | 23 | | | | | ITS 3013634-001 |
| Classic-Craft Glazed | 26 | 24 | 28 | 27 | 25 | 30 | 74367.01-113-11 |
| Fiber-Classic / Smooth-Star Opaque | 23 | 20 | | | | | ITS 3013634-001 |
| Fiber-Classic / Smooth-Star Glazed | 26 | 24 | 28 | 27 | 25 | 30 | 74367.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed with 1" Standard Glass | 28 | 26 | | 28 | 27 | | I4812.01-113-11-RO |
| Fiber-Classic / Smooth-Star Flush-Glazed | 29 | 26 | 31 | 29 | 27 | 31 | E6297.02-113-11 |
| Fiber-Classic / Smooth-Star Foam Core Fire-Rated Door | 24 | 24 | | 24 | 25 | | J4862.01A |
| Smooth-Star Noise Reduction Doors | 36 | 31 | 37 | 38 | 32 | 38 | TL09-236 TL08-739 |
| Smooth-Star Noise Reduction Doors with 1/2" Standard Glass | 30 | 28 | | 30 | 28 | | H6980.01-113-11-RO |
| Smooth-Star Noise Reduction Doors with 1" Standard Glass | 34 | 29 | | 36 | 29 | | I4812.02-113-11-RO |
| 7'0" Fiberglass | | | | | | | |
| Fiber-Classic / Smooth-Star Glazed with 1/2" Standard Glass | 27 | 25 | | 27 | 26 | | I9171.01-113-11-RO |
| Fiber-Classic / Smooth-Star Glazed with 1" Standard Glass | 27 | 24 | | 27 | 25 | | I9171.01-113-11-RO |
| Fiber-Classic / Smooth-Star Foam Core Fire-Rated Door | 23 | 24 | | 24 | 25 | | J4862.01A |
| Smooth-Star Noise Reduction Doors with Noise Reduction Glass | 35 | 31 | | 38 | 33 | | I9170.01-113-11-RO |
| Smooth-Star Noise Reduction Doors with 1/2" Standard Glass | 31 | 28 | | 31 | 29 | | I9170.01-113-11-RO |
| Smooth-Star Noise Reduction Doors with 1" Standard Glass | 32 | 28 | | 35 | 28 | | I9170.01-113-11-RO |
| 8'0" Fiberglass | | | | | | | |
| Fiber-Classic / Smooth-Star Opaque | 25 | 23 | | | | | ITS 3013634-001 |
| Fiber-Classic / Smooth-Star Glazed | 27 | 23 | | | | | ITS 3013634-001 |
| Fiber-Classic / Smooth-Star Glazed with 1" Standard Glass | 29 | 25 | | 30 | 26 | | I9173.01-113-11-RO |
| Fiber-Classic / Smooth-Star Flush-Glazed | 28 | 25 | 30 | 30 | 26 | 31 | E6298.01-113-11 |
| Fiber-Classic / Smooth-Star Foam Core Fire-Rated Door | 25 | 22 | | 25 | 23 | | J4862.01B |
| Smooth-Star Noise Reduction Doors | 36 | 31 | 37 | 38 | 32 | 38 | TL09-240 TL09-241 |
| Smooth-Star Noise Reduction Doors with 1/2" Standard Glass | 30 | 27 | | 32 | 28 | | I9172.01-113-11-RO |
| Smooth-Star Noise Reduction Doors with 1" Standard Glass | 31 | 26 | | 34 | 27 | | I9172.01-113-11-RO |
| 6'8" Steel | | | | | | | |
| Traditions and Profiles Opaque | 23 | 22 | | | | | ITS 3013634-001 |
| Traditions and Profiles Glazed | 29 | | | | | | RAL TL83-183 |
| Pro-Edge Fire Door | 23 | | | | | | RAL TL79-47 |
| 6'8" Impact Products | | | | | | | |
| Classic-Craft Opaque | 25 | 24 | 29 | 25 | 24 | 29 | 74365.01-113-11 |
| Fiber-Classic / Smooth-Star Opaque | 25 | 24 | 29 | 25 | 24 | 29 | 74365.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed Clear Glass | 25 | 26 | 29 | 26 | 28 | 30 | 74366.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed Clear Glass with BTS Lite Frame | 27 | 28 | 31 | 28 | 29 | 32 | E6297.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed Leaded Glass | 26 | 26 | 30 | 28 | 28 | 32 | 74725.01-113-11 |
| Slim Line Patio | 29 | 26 | 30 | 34 | 27 | 33 | 74392.01-113-11 |
| 8'0" Impact Products | | | | | | | |
| Classic-Craft Opaque | 25 | 23 | 28 | 25 | 24 | 29 | 74385.01-113-11 |
| Fiber-Classic / Smooth-Star Opaque | 25 | 23 | 28 | 25 | 24 | 29 | 74385.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed Clear Glass | 28 | 26 | 31 | 30 | 28 | 33 | 74384.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed 3/4 Lite Clear Glass | 27 | 25 | 29 | 28 | 26 | 31 | 74723.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed Leaded Glass | 27 | 25 | 30 | 28 | 27 | 31 | 74725.01-113-11 |
| Fiber-Classic / Smooth-Star Glazed Clear Glass with BTS Lite Frame | 30 | 28 | 32 | 30 | 29 | 33 | E6298.02-113-11 |

| Product Descriptions | STC | OITC | EWR | STC | OITC | EWR | Test Report |
|--|--------|--------|--------|------|------|------|-----------------|
| | System | System | System | Door | Door | Door | |
| 6'8" Patio | | | | | | | |
| Fiber-Classic / Smooth-Star Hinged | 26 | 24 | 28 | 27 | 25 | 30 | 74367.01-113-11 |
| 8'0" Patio | | | | | | | |
| Fiber-Classic / Smooth-Star Hinged | 27 | 23 | | | | | ITS 3013634-001 |
| Lites Only | | | | | | | |
| 22" x 64" Clear Laminate Lite with Aluminum Frame | 38 | 31 | 38 | | | | TL08-647 |
| 22" x 64" Decorative Laminate Lite with Aluminum Frame | 39 | 32 | 38 | | | | TL08-648 |
| 22" x 80" Clear Laminate Lite with Aluminum Frame | 38 | 31 | 38 | | | | TL08-651 |
| 22" x 80" Decorative Laminate Lite with Aluminum Frame | 38 | 31 | 38 | | | | TL08-652 |
| 22" x 64" Clear Laminate Lite with BTS Frame | 38 | 31 | 37 | | | | TL08-646 |
| 22" x 64" GBG Laminate Lite with BTS Frame | 38 | 31 | 38 | | | | TL08-649 |
| 22" x 80" Clear Laminate Lite with BTS Frame | 38 | 31 | 37 | | | | TL08-650 |
| 22" x 80" GBG Laminate Lite with BTS Frame | 38 | 31 | 38 | | | | TL08-653 |

Specify Therma-Tru® Doors with EasySpec™ Drawing Tools



Everything you need in one place.



Easy-to-use navigation.

- 1 Select a door product type.
- 2 Configure features and options.
- 3 Download or email documents.

Complete product information.

- Product Cut Sheet
- 3-Part Specification
- AutoCAD Drawing

Multiple file formats.



Includes ENERGY STAR® ratings.




Powered By



Get this and more on thermatru.com/architect.

Additional resources:

- Product Approvals
- Performance Data
- New Products





Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors, composite door frames and door surrounds.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 3-year limited finish warranty.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.



Durable Topcoat



Professional Application

PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors, composite door frames and door surrounds.

Shown on Classic-Craft® American Style Collection™



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A wiping stain enhances the base coat to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors, composite door frames and door surrounds, and tailor the look of the entry to make a beautiful lasting impression.



Finishing Options

- 1 It starts with the smooth or wood-grained surface of a Therma-Tru® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

SAME-DAY STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.* Watch easy-to-follow instructions at samedaystain.com.

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to samedaystain.com or ask your seller for more details.



Shown on Classic-Craft® American Style Collection™.



*Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.



thermatru.com


1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



Visit thermatru.com to view our entire catalog.



Trade Professionals Online

Go to one place to find everything Therma-Tru, from selling tools to training materials to technical information.

Dealer – thermatru.com/dealer

Builder – thermatru.com/builder

Remodeler – thermatru.com/remodeler

Architect – thermatru.com/architect

Cover: Smooth-Star Doors – S1100, Clear Glass, Sidelites – S2000SL; Fiber-Classic Oak Collection, Internal Blinds, Doors – 81225P;

Smooth-Star, Internal Blinds, Doors – S2600

Above: Traditions Door – TS210

©2020 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. 02/20 MAFMF20